

Модели и комплекты Gryphon I GD4100	
Gryphon I GD4110, Kit, IBM, Linear Imager, IBM46xx/IBM USB/RS-232 Multi-Interface, Black (Kit inc. Imager and USB Cable 90A052055)	GD4110-BKK10
Gryphon I GD4110, Kit, IBM46xx, Linear Imager, IBM46xx/IBM USB/RS-232 Multi-Interface, Black (Kit inc. Imager and IBM46xx Cable 90A052042)	GD4110-BKK40
Gryphon I GD4110, Kit, RS-232, Linear Imager, IBM46xx/IBM USB/RS-232 Multi-Interface, For Magellan, Black (Kit inc. Imager and RS-232 cable 90G001095)	GD4110-BKK20
Gryphon I GD4110, Linear Imager, IBM46xx/IBM USB/RS-232 Multi-Interface, Black	GD4110-BK
Gryphon I GD4110, Linear Imager, IBM46xx/IBM USB/RS-232 Multi-Interface, EAS, White	GD4110-WH EAS
Gryphon I GD4110, Linear Imager, IBM46xx/IBM USB/RS-232 Multi-Interface, White	GD4110-WH
Gryphon I GD4130, Kit, USB, Linear Imager, USB/RS-232/KBW/Wand Multi-Interface, Black (Kit inc. Imager and Enhanced USB Cable 90A052065)	GD4130-BKK12
Gryphon I GD4130, Kit, USB, Linear Imager, USB/RS-232/KBW/Wand Multi-Interface, Black (Kit inc. Imager and USB Cable 90A052044)	GD4130-BKK1
Gryphon I GD4130, Kit, USB, Linear Imager, USB/RS-232/KBW/Wand Multi-Interface, White (Kit inc. Imager and USB Cable 90A052044)	GD4130-WHK1
Gryphon I GD4130, Linear Imager, USB/RS-232/KBW/Wand Emulation Multi-Interface, Black	GD4130-BK
Gryphon I GD4130, Linear Imager, USB/RS-232/KBW/Wand Emulation Multi-Interface, Health Care	GD4130-HC
Gryphon I GD4130, Linear Imager, USB/RS-232/KBW/Wand Multi-Interface, White	GD4130-WH
СОГЛАШЕНИЯ	
Gryphon I GD4100 EofC 2 Days Comprehensive, 1 Year Renewal	W-GD41-R
Gryphon I GD4100 EofC 2 Days Comprehensive, 3 Years	W-GD41-3
Gryphon I GD4100 EofC 2 Days Comprehensive, 5 Years	W-GD41-5
Gryphon I GD4100 EofC 5 Days, 1 Year Renewal	E-GD41-R
Gryphon I GD4100 EofC 5 Days, 3 Years	E-GD41-3
Gryphon I GD4100 EofC 5 Days, 5 Years	E-GD41-5
Gryphon I GD4100 EofC Overnight Replacement Comprehensive, 1 Year Renewal	Q-GD41-R
Gryphon I GD4100 EofC Overnight Replacement Comprehensive, 3 Years	Q-GD41-3
Gryphon I GD4100 EofC Overnight Replacement Comprehensive, 5 Years	Q-GD41-5
MINIMUM REPAIR CHARGE,GRYPHON GD41XX	34812-80
WHOLE UNIT REPAIR,GRYPHON GD41XX	34812-81
КАБЕЛИ	
Cable, IBM 46xx, Port 5b, CAB-445 (Gryphon D412/432 Plus Only), 6.5 ft.	90A051977
Cable, IBM 46xx, Port 9B, CAB-446, 12 ft., Coiled	90A052042
Cable, IBM 46xx, Port 9B, CAB-446, 2 Meters	90A051978
Cable, IBM AT/XT, KBW, Din Connector, Straight, CAB-322, 7 ft.	90G001020
Cable, IBM PS/2, KBW, Minidin Connector, Coiled, CAB-365, 6 ft.	90A051360
Cable, IBM PS/2, KBW, Minidin Connector, External Power Supply, Coiled, CAB-391, 11 ft.	90A051740
Cable, IBM VDT. 3151, 34XX, KBW, 8-pin Telephone Connector, Straight, CAB-325, 11 ft.	90G001050
Cable, KBW, 4P, Telephone Connector, DEC VDT VT200/220/240/300/320/340/420, CAB-375, 6 ft.	90A051490

Cable, RS-232, 25P, Female, Coiled, CAB-363 (Power available on pin 9 of the connector or through external power supply), 6 ft.	90A051340
Cable, RS-232, 25P, Female, Straight, CAB-328 (Power Supply available on pin 9 of the connector or with external power supply), 2 Meters	90G001080
Cable, RS-232, 25P, Male, Coiled, CAB-364 (Power Supply available on pin 9 of the connector or through external power supply), 6.5 ft.	90A051350
Cable, RS-232, 25P, Male, Straight, CAB-320 (Power available on pin 25 of the connector or through power supply), 6 ft.	90G001000
Cable, RS-232, 9P, Female, Coiled, CAB-362, External Power, 6 ft.	90A051330
Cable, RS-232, 9P, Female, Coiled, CAB-408 (Power available on pin 9 of the connector or through external power supply), 6 ft.	90A051891
Cable, RS-232, 9P, Female, Straight, CAB-327, Requires External Power, 6 ft.	90G000008
Cable, RS-232, 9P, Female, Straight, CAB-350 (Power Supply available on pin 9 of the connector or through external power supply), 6 ft.	90A051230
Cable, RS-232, 9P, Male, Beetle POS, Straight, CAB-389, Power Off Terminal, 6.5 ft.	90A051710
Cable, RS-232, 6' (For Magellan)	90G001092
Cable, USB, IBM PowerPlus Mode, Straight CAB-413, 6 ft.	90A051903
Cable, USB, PowerPlus, Straight, 6', CAB-413E	90A052045
Cable, USB, Type A, Coiled, 9', CAB-424E	90A052043
Cable, USB, Type A, Enhanced, Coiled, Power Off Terminal, 5 Meters	90A052066
Cable, USB, Type A, Enhanced, Straight, Power Off Terminal, 2M (USB Certified)	90A052065
Cable, USB, Type A, Straight, 6', CAB-426E (USB Certified)	90A052044
Cable, Wand Emulation, 9P, Male, Coiled, CAB-348, 3.2 ft.	90A051210
Cable, Wand Emulation, 9P, Male, Straight, CAB-323, 6 ft.	90G001030
Cable, WYSE VDT 60/120/160/185/370, KBW, 4P, Telephone Connector, Straight, CAB-373, 6 ft.	90A051470
ФУТЛЯР/КОБУРА	
	Защитный футляр/Кобура на ремне PC-G040
ДЕРЖАТЕЛИ/СТЕНДЫ	
	Держатель настольный/настенный G040 черный HLD-G040-BK
	Держатель настольный/настенный G040 белый HLD-G040-WH

	Многоцелевой держатель черный	11-0360
	Многоцелевой держатель серый	11-0362
	Стенд базовый G040 темно-серый	STD-G040-BK
	Стенд базовый G040 белый	STD-G040-WH
	Стенд "умный" G040 черный	STD-AUTO-G040-BK
	Стенд "умный" G040 белый	STD-AUTO-G040-WH
ИСТОЧНИКИ ПИТАНИЯ/СИЛОВЫЕ КАБЕЛИ		
Power Adapter, 12V DC, AC/DC Regulated, RoHS (For Use with 6003-XXXX Power Cords)		8-0935
Power Supply, 5VDC, PG5-05P55 (without power cord)		90ACC1882
Power Supply, 5VDC, US, PG5-05P55-US (includes power cord 90ACC1886)		90ACC1893