


Модели и комплекты Gryphon I GD4400 2D

Gryphon GD4400, BPOC Kit, USB (Kit includes scanner and cable 90A052065)	GD4410-HCK10-BPOC
Gryphon I GD4410, 2D Imager, IBM46xx/OEM USB/RS-232 Multi-Interface, Black	GD4410-BK
Gryphon I GD4410, 2D Imager, IBM46xx/OEM USB/RS-232 Multi-Interface, White	GD4410-WH
Gryphon I GD4410, Kit, IBM46XX, 2D Imager, IBM46xx/OEM USB/RS-232 Multi-Interface, Black (Includes Scanner and All in One Permanent Base)	GD4410-BK-B
Gryphon I GD4410, Kit, IBM46xx, 2D Imager, IBM46xx/OEM USB/RS-232 Multi-Interface, Black (Kit inc. Imager and IBM46xx Cable 90A052042)	GD4410-BKK40
Gryphon I GD4410, Kit, IBM46xx, 2D Imager, IBM46xx/OEM USB/RS-232 Multi-Interface, White (Incl. Scanner and All in One Permanent Base)	GD4410-WH-B
Gryphon I GD4410, Kit, OEM USB, 2D Imager, IBM46xx/OEM USB/RS-232 Multi-Interface, Black (Kit inc. Imager and USB Cable 90A052055)	GD4410-BKK10
Gryphon I GD4410, Kit, RS-232, 2D Imager, IBM46xx/OEM USB/RS-232 Multi-Interface, For Magellan, Black (Kit inc. Imager and RS-232 Cable 90G001095)	GD4410-BKK20
Gryphon I GD4430, 2D Imager, USB/RS-232/KBW/WE Multi-Interface, All in One, Black with Permanent Base	GD4430-BK-B
Gryphon I GD4430, 2D Imager, USB/RS-232/KBW/WE Multi-Interface, All in One, White with Permanent Base	GD4430-WH-B
Gryphon I GD4430, 2D Imager, USB/RS-232/KBW/WE Multi-Interface, Black	GD4430-BK
Gryphon I GD4430, 2D Imager, USB/RS-232/KBW/WE Multi-Interface, HD, Black	GD4430-BK-HD
Gryphon I GD4430, 2D Imager, USB/RS-232/KBW/WE Multi-Interface, HD, White	GD4430-WH-HD
Gryphon I GD4430, 2D Imager, USB/RS-232/KBW/WE Multi-Interface, Health Care	GD4430-HC
Gryphon I GD4430, 2D Imager, USB/RS-232/KBW/WE Multi-Interface, White	GD4430-WH
Gryphon I GD4430, Kit, KBW, 2D Imager, USB/RS-232/KBW Multi-Interface, White (Incl. Scanner with All in One Base and Cable 90G001010)	GD4430-WHK3B
Gryphon I GD4430, Kit, KBW, 2D Imager, USB/RS-232/KBW Multi-Interface, Black (Incl. Scanner and Cable 90G001010)	GD4430-BKK3
Gryphon I GD4430, Kit, KBW, 2D Imager, USB/RS-232/KBW Multi-Interface, Black (Incl. Scanner with All in One Base and Cable 90G001010)	GD4430-BKK3B
Gryphon I GD4430, Kit, KBW, 2D Imager, USB/RS-232/KBW Multi-Interface, Black (Incl. Scanner, Holder 11-0360 and Cable 90G001010)	GD4430-BKK3H
Gryphon I GD4430, Kit, KBW, 2D Imager, USB/RS-232/KBW Multi-Interface, Black (Incl. Scanner, Stand and Cable 90G001010)	GD4430-BKK3S
Gryphon I GD4430, Kit, KBW, 2D Imager, USB/RS-232/KBW Multi-Interface, White (Incl. Scanner and Cable 90G001010)	GD4430-WHK3
Gryphon I GD4430, Kit, KBW, 2D Imager, USB/RS-232/KBW Multi-Interface, White (Incl. Scanner, Holder 11-0362 and Cable 90G001010)	GD4430-WHK3H
Gryphon I GD4430, Kit, KBW, 2D Imager, USB/RS232/KBW Multi-Interface, White (Incl. Scanner, Stand and Cable 90G001010)	GD4430-WHK3S
Gryphon I GD4430, Kit, RS-232, 2D imager, USB/RS-232/KBW Multi-Interface, Black (Incl. Scanner with All in One Base, Power Supply 4004-0849 and Cable 90G001070. Power Adapter Sold Separately.)	GD4430-BKK2B
Gryphon I GD4430, Kit, RS-232, 2D Imager, USB/RS-232/KBW Multi-Interface, Black (Incl. Scanner, Holder 11-0360, Power Supply 4004-0849 and Cable 90G001070. Power Adapter Sold Separately.)	GD4430-BKK2H
Gryphon I GD4430, Kit, RS-232, 2D Imager, USB/RS-232/KBW Multi-Interface, Black (Incl. Scanner, Power Supply 4004-0849 and Cable 90G001070. Power Adapter Sold Separately.)	GD4430-BKK2
Gryphon I GD4430, Kit, RS-232, 2D Imager, USB/RS-232/KBW Multi-Interface, Black (Incl. Scanner, Stand, Power Supply 4004-0849 and Cable 90G001070. Power Adapter Sold Separately.)	GD4430-BKK2S
Gryphon I GD4430, Kit, RS-232, 2D Imager, USB/RS-232/KBW Multi-Interface, White (Incl. Scanner, Holder 11-0362, Power Supply 4004-0849 and Cable 90G001070. Power Adapter Sold Separately.)	GD4430-WHK2H

Gryphon I GD4430, Kit, RS-232, 2D Imager, USB/RS-232/KBW Multi-Interface, White (Incl. Scanner, Power Supply 4004-0849 and Cable 90G001070. Power Adapter Sold Separately.)	GD4430-WHK2
Gryphon I GD4430, Kit, RS-232, 2D Imager, USB/RS-232/KBW Multi-Interface, White (Incl. Scanner, Stand, Power Supply 4004-0849 and Cable 90G001070. Power Adapter Sold Separately.)	GD4430-WHK2S
Gryphon I GD4430, Kit, RS-232, USB/RS-232/KBW Multi-Interface, White (Incl. Scanner with All in One Base, Power Supply 4004-0849 and Cable 90G001070. Power Adapter Sold Separately.)	GD4430-WHK2B
Gryphon I GD4430, Kit, USB, 2D ImageGryphon I GD4430, Kit, USB, 2D Imager, USB/RS-232/KBW/WE Multi-Interface, Black (Kit inc. Imager and USB Cable 90A052065 and Stand)	GD4430-BKK12S
Gryphon I GD4430, Kit, USB, 2D imager, USB/RS-232/KBW Multi-Interface, Black, (Incl. Scanner, Holder and Cable 90A052044)	GD4430-BKK1H
Gryphon I GD4430, Kit, USB, 2D Imager, USB/RS-232/KBW Multi-Interface, Health Care (Includes Scanner and Cable 90A052044)	GD4430-HCK1
Gryphon I GD4430, Kit, USB, 2D imager, USB/RS-232/KBW Multi-Interface, White (Incl. Scanner, Holder and Cable 90A052044)	GD4430-WHK1H
Gryphon I GD4430, Kit, USB, 2D Imager, USB/RS-232/KBW/WE Multi-Interface, Black (Kit inc. Imager and Enhanced USB Cable 90A052065)	GD4430-BKK12
Gryphon I GD4430, Kit, USB, 2D Imager, USB/RS-232/KBW/WE Multi-Interface, Black (Kit inc. Imager and USB Cable CAB-426E and Stand)	GD4430-BKK1S
Gryphon I GD4430, Kit, USB, 2D Imager, USB/RS-232/KBW/WE Multi-Interface, Black (Kit inc. Imager and USB Cable CAB-426E)	GD4430-BKK1
Gryphon I GD4430, Kit, USB, 2D Imager, USB/RS-232/KBW/WE Multi-Interface, Black w/ Permanent Base (Kit inc. Imager and USB Cable CAB-426E)	GD4430-BKK1B
Gryphon I GD4430, Kit, USB, 2D Imager, USB/RS-232/KBW/WE Multi-Interface, White (Kit inc. Imager and USB Cable CAB-426E and Stand)	GD4430-WHK1S
Gryphon I GD4430, Kit, USB, 2D Imager, USB/RS-232/KBW/WE Multi-Interface, White (Kit inc. Imager and USB Cable CAB-426E)	GD4430-WHK1
Gryphon I GD4430, Kit, USB, 2D Imager, USB/RS-232/KBW/WE Multi-Interface, White w/ Permanent Base (Kit inc. Imager and USB Cable CAB-426E)	GD4430-WHK1B
СОГЛАШЕНИЯ	
Gryphon 2D GD4400 EofC 2 Days Comprehensive, 1 Year Renewal	W-GD44-R
Gryphon 2D GD4400 EofC 2 Days Comprehensive, 3 Years	W-GD44-3
Gryphon 2D GD4400 EofC 2 Days Comprehensive, 5 Years	W-GD44-5
Gryphon 2D GD4400 EofC 5 Days, 1 Year Renewal	E-GD44-R
Gryphon 2D GD4400 EofC 5 Days, 3 Years	E-GD44-3
Gryphon 2D GD4400 EofC 5 Days, 5 Years	E-GD44-5
Gryphon 2D GD4400 EofC Overnight Replacement Comprehensive, 1 Year Renewal	Q-GD44-R
Gryphon 2D GD4400 EofC Overnight Replacement Comprehensive, 3 Years	Q-GD44-3
Gryphon 2D GD4400 EofC Overnight Replacement Comprehensive, 5 Years	Q-GD44-5
MINIMUM REPAIR CHARGE,GRYPHON 44XX D	354-80
WHOLE UNIT REPAIR,GRYPHON 44XX D	354-81
КАБЕЛИ	
Adapter, KBW to USB, ADP-203	90ACC1903
Cable, IBM 46xx, Port 5b, CAB-445 (Gryphon D412/432 Plus Only), 6.5 ft.	90A051977

Cable, IBM 46xx, Port 9B, CAB-446, 12 ft., Coiled	90A052042
Cable, IBM AT/XT, KBW, Din Connector, Straight, CAB-322, 7 ft.	90G001020
Cable, IBM PS/2, ESD, Minidin Connector-Medium, Straight, CAB-415, 6 ft.	90A051905
Cable, IBM VDT 31xx, 32xx, 37xx, Straight, 6.5 ft.	90G001040
Cable, IBM VDT. 3151, 34XX, KBW, 8-pin Telephone Connector, Straight, CAB-325, 11 ft.	90G001050
Cable, KBW, 4P, Telephone Connector, DEC VDT VT200/220/240/300/320/340/420, CAB-375, 6 ft.	90A051490
Cable, RS-232, 25P, Female, Coiled, CAB-363 (Power available on pin 9 of the connector or through external power supply), 6 ft.	90A051340
Cable, RS-232, 25P, Female, Straight, CAB-328 (Power Supply available on pin 9 of the connector or with external power supply), 2 Meters	90G001080
Cable, RS-232, 25P, Male, Coiled, CAB-364 (Power Supply available on pin 9 of the connector or through external power supply), 6.5 ft.	90A051350
Cable, RS-232, 25P, Male, Straight, CAB-320 (Power available on pin 25 of the connector or through power supply), 6 ft.	90G001000
Cable, RS-232, 9P, Female, Coiled, CAB-362, External Power, 6 ft.	90A051330
Cable, RS-232, 9P, Female, Coiled, CAB-408 (Power available on pin 9 of the connector or through external power supply), 6 ft.	90A051891
Cable, RS-232, 9P, Female, Straight, CAB-327, Requires External Power, 6 ft.	90G000008
Cable, RS-232, 9P, Female, Straight, CAB-350 (Power Supply available on pin 9 of the connector or through external power supply), 6 ft.	90A051230
Cable, RS-232, 9P, Male, Beetle POS, Straight, CAB-389, Power Off Terminal, 6.5 ft.	90A051710
Cable, RS-232, DCE, 9P, Extended Power-Power off Terminal, 4 Meters	90A052086
Cable, RS-232, ESD, 9P, Female-Medium, Coiled, CAB-411, 6 ft.	90A051901
Cable, RS-232, 6' (For Magellan)	90G001092
Cable, RS-485 IBM VDT 46xx, 9B Port, 4-pin, Straight, POT, CAB-370, 6 ft.	90A051420
Cable, USB, IBM PowerPlus Mode, Straight CAB-413, 6 ft.	90A051903
Cable, USB, Type A, Enhanced, Straight, Power Off Terminal, 2M (USB Certified)	90A052065
Cable, USB, Type A, Straight, 6', CAB-426E (USB Certified)	90A052044
Cable, Wand Emulation, 9P, Male, Coiled, CAB-348, 3.2 ft.	90A051210
Cable, Wand Emulation, 9P, Male, Straight, CAB-323, 6 ft.	90G001030
Cable, WYSE VDT 60/120/160/185/370, KBW, 4P, Telephone Connector, Straight, CAB-373, 6 ft.	90A051470
ФУТЛЯР/КОБУРА	
	Защитный футляр/Кобура на ремне, Gryphon PC-G040
ДЕРЖАТЕЛИ/СТЕНДЫ	

	Держатель настольный/настенный, G040, черный	HLD-G040-BK
	Держатель настольный/настенный, G040, белый	HLD-G040-WH
	Держатель многоцелевой черный	11-0360
	Держатель многоцелевой белый	11-0362
	Стенд базовый, G040, темно-серый	STD-G040-BK
	Стенд базовый, G040, белый	STD-G040-WH
ИСТОЧНИКИ ПИТАНИЯ/СИЛОВЫЕ КАБЕЛИ		
Adapter, Power Plug, Australia (Use with 4004-0849)		6003-0939
Adapter, Power Plug, Euro (Use with 4004-0849)		6003-0937
Adapter, Power Plug, UK (Use with 4004-0849)		6003-0938
Adapter, Power Plug, US/Japan (Use with 4004-0849)		6003-0936
Power Cord, 2-Pin, EU		90ACC1885
Power Cord, 2-Pin, UK		90ACC1887
Power Cord, 2-Pin, US		90ACC1886
Power Cord, AC, IEC/EU		6003-0940
Power Supply, 5VDC, PG5-05P55 (without power cord)		90ACC1882
Power Supply, 5VDC, ROHS (Power Adapter Sold Separately.)		4004-0849