



Модели и комплекты Gryphon I GM4100



Gryphon GM4100, 433 Mhz, Black - Not for use in the US	GM4100-BK-433
Gryphon GM4100, 433 Mhz, Health Care	GM4100-HC-433
Gryphon GM4100, 433 Mhz, Health Care, with Display	GM4100-HC-D433
Gryphon GM4100, 433 Mhz, White - Not for use in the US	GM4100-WH-433
Gryphon GM4100, 433 Mhz, With Display, 3 Key Keypad, Black - Not for use in the US	GM4100-BK-D433
Gryphon GM4100, 910 Mhz, Health Care	GM4100-HC-910
Gryphon GM4100, 910 Mhz, Health Care, with Display	GM4100-HC-D910
Gryphon GM4100, 910Mhz, Black, Scanner Only	GM4100-BK-910
Gryphon GM4100, 910Mhz, White, Scanner Only	GM4100-WH-910
Gryphon GM4100, 910Mhz, With Display, 3 Key Keypad, Black	GM4100-BK-D910
Gryphon GM4130, 433 Mhz, Kit, RS232, Black (Incl. base station BC4030-BK-433, Power Supply, and cable 90G001070) Not for use in the US	GM4130-BK-433K2
Gryphon GM4130, 433 Mhz, Kit, RS232, White (Incl. base station BC4030-WH-433, Power Supply and cable 90G001070) Not for use in the US	GM4130-WH-433K2
Gryphon GM4130, 433 Mhz, Kit, USB, Black (Incl. base station BC4030-BK-433 and cable 90A052044) Not for use in the US	GM4130-BK-433K1
Gryphon GM4130, 433 Mhz, Kit, USB, White (Incl. base station BC4030-WH-433 and cable 90A051945) Not for use in the US	GM4130-WH-433K1
Gryphon GM4130, 910 Mhz, Kit, RS232, Black (Incl. base station BC4030-BK-910, Power Supply, Line Cord, and cable 90G001070)	GM4130-BK-910K2
Gryphon GM4130, 910 Mhz, Kit, RS232, White (Incl. base station BC4030-WH-910, Power Supply, Line Cord, and cable 90G001070)	GM4130-WH-910K2
Gryphon GM4130, 910 Mhz, Kit, USB, Black (Incl. base station BC4030-BK-910 and cable 90A051945)	GM4130-BK-910K1
Gryphon GM4130, 910 Mhz, Kit, USB, White (Incl. base station BC4030-WH-910 and 90A051945)	GM4130-WH-910K1




Кредлы

Base/Charger, 433 Mhz, BC4010, Multi-Interface, Black, Not for use in the US	BC4010-BK-433
Base/Charger, 433 Mhz, BC4010, Multi-Interface, Counterfeit Detection, Black, Not for use in the US	BC4010-BK-433-CF
Base/Charger, 433 Mhz, BC4010, Multi-Interface, IBM, White, Not for use in the US	BC4010-WH-433
Base/Charger, 433 Mhz, BC4030 Multi-Interface, Black, Not for use in the US	BC4030-BK-433
Base/Charger, 433 Mhz, BC4030, Multi-Interface, Health Care, Not for use in the US	BC4030-HC-433
Base/Charger, 433 Mhz, BC4030, Multi-Interface, White, Not for use in the US	BC4030-WH-433
Base/Charger, 910 Mhz, BC4010, Multi-Interface, IBM, Black	BC4010-BK-910
Base/Charger, 910 Mhz, BC4010, Multi-Interface, IBM, White	BC4010-WH-910

Base/Charger, 910 Mhz, BC4030, Multi Interface, Health Care	BC4030-HC-910
Base/Charger, 910 Mhz, BC4030, Multi-Interface, Black	BC4030-BK-910
Base/Charger, 910 Mhz, BC4030, Multi-Interface, White	BC4030-WH-910
Base/Charger, 910Mhz, BC4010, IBM Interface, Counterfeit Detection, Black (Requires 12V Power Supply Part Number 90ACC1920)	BC4010-BK-910-CF
СОГЛАШЕНИЯ	
Gryphon I GM4100 EofC 2 Days Comprehensive, 1 Year Renewal	W-GM41-R
Gryphon I GM4100 EofC 2 Days Comprehensive, 3 Years	W-GM41-3
Gryphon I GM4100 EofC 2 Days Comprehensive, 5 Years	W-GM41-5
Gryphon I GM4100 EofC 5 Days, 1 Year Renewal	E-GM41-R
Gryphon I GM4100 EofC 5 Days, 3 Years	E-GM41-3
Gryphon I GM4100 EofC 5 Days, 5 Years	E-GM41-5
Gryphon I GM4100 EofC Overnight Replacement Comprehensive, 1 Year Renewal	Q-GM41-R
Gryphon I GM4100 EofC Overnight Replacement Comprehensive, 3 Years	Q-GM41-3
Gryphon I GM4100 EofC Overnight Replacement Comprehensive, 5 Years	Q-GM41-5
GRYPHON I GM4XXX BASE EofC 2 DAYS COMPREHENSIVE, 3 YRS	W-BC4-3
GRYPHON I GM4XXX BASE EofC 2 DAYS COMPREHENSIVE, 5 YRS	W-BC4-5
GRYPHON I GM4XXX BASE EofC 2 DAYS COMPREHENSIVE, RENEWAL	W-BC4-R
GRYPHON I GM4XXX BASE EofC 5 DAYS, 3 YRS	E-BC4-3
GRYPHON I GM4XXX BASE EofC 5 DAYS, 5 YRS	E-BC4-5
GRYPHON I GM4XXX BASE EofC 5 DAYS, RENEWAL	E-BC4-R
GRYPHON I GM4XXX BASE EofC OVERNIGHT REPLACEMENT COMPREHENSIVE, 3 YRS	Q-BC4-3
GRYPHON I GM4XXX BASE EofC OVERNIGHT REPLACEMENT COMPREHENSIVE, 5 YRS	Q-BC4-5
GRYPHON I GM4XXX BASE EofC OVERNIGHT REPLACEMENT COMPREHENSIVE, RENEWAL	Q-BC4-R
MINIMUM REPAIR CHARGE,GM/GBT 4XXX Base	34922-80
MINIMUM REPAIR CHARGE,GM41XX	34913-80
WHOLE UNIT REPAIR, GM/GBT 4XXX BASE	34922-81
WHOLE UNIT REPAIR,GRYPHON GM41XX	34913-81
АККУМУЛЯТОРЫ/ЗАРЯДНЫЕ УСТРОЙСТВА	
 <p>Сменный комплект аккумуляторов</p>	RBP-GM40
 <p>Зарядное устройство черное</p>	CHR-GM40-BK

	Зарядное устройство белое	CHR-GM40-WH
КАБЕЛИ		
Cable, IBM 46xx, Port 9B, CAB-446, 12 ft., Coiled		90A052042
Cable, IBM AT/XT, KBW, Din Connector, Straight, CAB-322, 7 ft.		90G001020
Cable, IBM PS/2, KBW, Minidin Connector, Coiled, CAB-365, 6 ft.		90A051360
Cable, IBM PS/2, KBW, Minidin Connector, External Power Supply, Coiled, CAB-391, 11 ft.		90A051740
Cable, IBM VDT. 3151, 34XX, KBW, 8-pin Telephone Connector, Straight, CAB-325, 11 ft.		90G001050
Cable, KBW, 4P, Telephone Connector, DEC VDT VT200/220/240/300/320/340/420, CAB-375, 6 ft.		90A051490
Cable, RS-232, 25P, Female, Coiled, CAB-363 (Power available on pin 9 of the connector or through external power supply), 6 ft.		90A051340
Cable, RS-232, 25P, Male, Coiled, CAB-364 (Power Supply available on pin 9 of the connector or through external power supply), 6.5 ft.		90A051350
Cable, RS-232, 25P, Male, Straight, CAB-320 (Power available on pin 25 of the connector or through power supply), 6 ft.		90G001000
Cable, RS-232, 9P, Female, Coiled, CAB-362, External Power, 6 ft.		90A051330
Cable, RS-232, 9P, Female, Coiled, CAB-408 (Power available on pin 9 of the connector or through external power supply), 6 ft.		90A051891
Cable, RS-232, 9P, Female, Straight, CAB-327, Requires External Power, 6 ft.		90G000008
Cable, RS-232, 9P, Female, Straight, CAB-350 (Power Supply available on pin 9 of the connector or through external power supply), 6 ft.		90A051230
Cable, RS-232, 9P, Male, Beetle POS, Straight, CAB-389, Power Off Terminal, 6.5 ft.		90A051710
Cable, RS-232,6' (For Magellan)		90G001092
Cable, USB, IBM PowerPlus Mode, Straight CAB-413, 6 ft.		90A051903
Cable, USB, PowerPlus, Straight, 6', CAB-413E		90A052045
Cable, USB, Type A, Coiled, 9', CAB-424E		90A052043
Cable, USB, Type A, Enhanced, Coiled, Power Off Terminal, 5 Meters		90A052066
Cable, USB, Type A, Enhanced, Straight, Power Off Terminal, 2M (USB Certified)		90A052065
Cable, USB, Type A, Straight, 6', CAB-426E (USB Certified)		90A052044
Cable, Wand Emulation, 9P, Male, Coiled, CAB-348, 3.2 ft.		90A051210
Cable, Wand Emulation, 9P, Male, Straight, CAB-323, 6 ft.		90G001030
Cable, WYSE VDT 60/120/160/185/370, KBW, 4P, Telephone Connector, Straight, CAB-373, 6 ft.		90A051470
ФУТЛЯР/КОБУРА		
	Защитный футляр/Кобура на ремне	PC-G040

СТЕНДЫ		
	Защелка корзины (Для использования в медицине. УЖЕ включена в состав крэбла.)	CC-G040-HC
ИСТОЧНИКИ ПИТАНИЯ/СИЛОВЫЕ КАБЕЛИ		
Power Adapter, 12V DC, AC/DC Regulated, RoHS (For Use with 6003-XXXX Power Cords)	8-0935	
Power Cord, 100V, Japan	6003-0927	
Power Cord, 110V, US, Standard	6003-0941	
Power Cord, 220V, Australia	6003-0925	
Power Cord, 220V, Italy/Chile	6003-0924	
Power Cord, 2-Pin, EU	90ACC1885	
Power Cord, 2-Pin, UK	90ACC1887	
Power Cord, 2-Pin, US	90ACC1886	
Power Cord, AC, IEC/EU	6003-0940	
Power Cord, IEC C13, Brazil (For use with 8-0935)	6003-0942	
Power Supply, 12VDC, PG12-10P55 (For Use with 90ACCXXXX Power Cords Sold Separately)	90ACC1883	
Power Supply, 12VDC, US, PG12-10P55-US (includes power cord 90ACC1886)	90ACC1920	