



## Модели и комплекты Gryphon I GM4400 2D

Gryphon GM4400, 2D, 433 MHz, Black	GM4400-BK-433
Gryphon GM4400, 2D, 433 MHz, Health Care	GM4400-HC-433
Gryphon GM4400, 2D, 433 MHz, White	GM4400-WH-433
Gryphon GM4400, 2D, 910 MHz, Black	GM4401-BK-910
Gryphon GM4400, 2D, 910 MHz, Health Care	GM4401-HC-910
Gryphon GM4400, 2D, 910 MHz, White	GM4401-WH-910
Gryphon GM4400, BPOC Kit, USB, 910 MHz (Kit includes scanner, BC4011 base, cable 90A052065)	GM4411-HCK10-BPOC
Gryphon GM4400, Kit, RS-232, 2D, 433 MHz, Black (Kit includes scanner, BC4030 base, cable 90G001070, power supply and European line cord)	GM4430-BK-433K2
Gryphon GM4400, Kit, RS-232, 2D, 910 MHz, Black (Kit includes scanner, BC4031 base, cable 90G001070, power supply and US line cord)	GM4431-BK-910K2
Gryphon GM4400, Kit, USB, 2D, 433 MHz, Black (Kit includes scanner, BC4030 base and cable 90A052065)	GM4430-BK-433K1
Gryphon GM4400, Kit, USB, 2D, 910 MHz, Black (Kit includes scanner, BC4031 base and cable 90A052065)	GM4431-BK-910K1



## Крэдлы




Base/Charger, 433 Mhz, BC4010, Multi-Interface, Black, Not for use in the US	BC4010-BK-433
Base/Charger, 433 Mhz, BC4010, Multi-Interface, Counterfeit Detection, Black, Not for use in the US	BC4010-BK-433-CF
Base/Charger, 433 Mhz, BC4010, Multi-Interface, IBM, White, Not for use in the US	BC4010-WH-433
Base/Charger, 433 Mhz, BC4030 Multi-Interface, Black, Not for use in the US	BC4030-BK-433
Base/Charger, 433 Mhz, BC4030, Multi-Interface, Health Care, Not for use in the US	BC4030-HC-433
Base/Charger, 433 Mhz, BC4030, Multi-Interface, White, Not for use in the US	BC4030-WH-433
Base/Charger, 910 Mhz, BC4011, Multi-Interface, IBM, Black	BC4011-BK-910
Base/Charger, 910 Mhz, BC4011, Multi-Interface, IBM, White	BC4011-WH-910
Base/Charger, 910 Mhz, BC4031, Multi-Interface, Health Care	BC4031-HC-910
Base/Charger, 910 Mhz, BC4031, Multi-Interface, IBM, Black	BC4031-BK-910
Base/Charger, 910 Mhz, BC4031, Multi-Interface, IBM, White	BC4031-WH-910

## СОГЛАШЕНИЯ

Gryphon GM4400 EofC 2 Days Comprehensive, 1 Year Renewal	W-GM44-R
Gryphon GM4400 EofC 2 Days Comprehensive, 3 Years	W-GM44-3
Gryphon GM4400 EofC 2 Days Comprehensive, 5 Years	W-GM44-5



Gryphon GM4400 EofC 5 Days, 1 Year Renewal	E-GM44-R
Gryphon GM4400 EofC 5 Days, 3 Years	E-GM44-3
Gryphon GM4400 EofC 5 Days, 5 Years	E-GM44-5
Gryphon GM4400 EofC Overnight Replacement Comprehensive, 1 Year Renewal	Q-GM44-R
Gryphon GM4400 EofC Overnight Replacement Comprehensive, 3 Years	Q-GM44-3
Gryphon GM4400 EofC Overnight Replacement Comprehensive, 5 Years	Q-GM44-5
GRYPHON I GM4XXX BASE EofC 2 DAYS COMPREHENSIVE, 3 YRS	W-BC4-3
GRYPHON I GM4XXX BASE EofC 2 DAYS COMPREHENSIVE, 5 YRS	W-BC4-5
GRYPHON I GM4XXX BASE EofC 2 DAYS COMPREHENSIVE, RENEWAL	W-BC4-R
GRYPHON I GM4XXX BASE EofC 5 DAYS, 3 YRS	E-BC4-3
GRYPHON I GM4XXX BASE EofC 5 DAYS, 5 YRS	E-BC4-5
GRYPHON I GM4XXX BASE EofC 5 DAYS, RENEWAL	E-BC4-R
GRYPHON I GM4XXX BASE EofC OVERNIGHT REPLACEMENT COMPREHENSIVE, 3 YRS	Q-BC4-3
GRYPHON I GM4XXX BASE EofC OVERNIGHT REPLACEMENT COMPREHENSIVE, 5 YRS	Q-BC4-5
GRYPHON I GM4XXX BASE EofC OVERNIGHT REPLACEMENT COMPREHENSIVE, RENEWAL	Q-BC4-R
MINIMUM REPAIR CHARGE,GRYPHON 44XX M/BT	35512-80
WHOLE UNIT REPAIR,GRYPHON 44XX M/BT	35512-81

#### АККУМУЛЯТОРЫ/ЗАРЯДНЫЕ УСТРОЙСТВА

	Сменный комплект аккумуляторов	RBP-GM40
	Зарядное устройство черное	CHR-GM40-BK
	Зарядное устройство белое	CHR-GM40-WH

#### КАБЕЛИ

Cable, IBM 46xx, Port 9B, CAB-446, 12 ft., Coiled	90A052042
Cable, IBM AT/XT, KBW, Din Connector, Straight, CAB-322, 7 ft.	90G001020
Cable, IBM PS/2, KBW, Minidin Connector, Coiled, CAB-365, 6 ft.	90A051360
Cable, IBM PS/2, KBW, Minidin Connector, External Power Supply, Coiled, CAB-391, 11 ft.	90A051740
Cable, IBM VDT. 3151, 34XX, KBW, 8-pin Telephone Connector, Straight, CAB-325, 11 ft.	90G001050
Cable, KBW, 4P, Telephone Connector, DEC VDT VT200/220/240/300/320/340/420, CAB-375, 6 ft.	90A051490

Cable, RS-232, 25P, Female, Coiled, CAB-363 (Power available on pin 9 of the connector or through external power supply), 6 ft.	90A051340
Cable, RS-232, 25P, Female, Straight, CAB-328 (Power Supply available on pin 9 of the connector or with external power supply), 2 Meters	90G001080
Cable, RS-232, 25P, Male, Coiled, CAB-364 (Power Supply available on pin 9 of the connector or through external power supply), 6.5 ft.	90A051350
Cable, RS-232, 25P, Male, Straight, CAB-320 (Power available on pin 25 of the connector or through power supply), 6 ft.	90G001000
Cable, RS-232, 9P, Female, Coiled, CAB-362, External Power, 6 ft.	90A051330
Cable, RS-232, 9P, Female, Coiled, CAB-408 (Power available on pin 9 of the connector or through external power supply), 6 ft.	90A051891
Cable, RS-232, 9P, Female, Straight, CAB-327, Requires External Power, 6 ft.	90G000008
Cable, RS-232, 9P, Female, Straight, CAB-350 (Power Supply available on pin 9 of the connector or through external power supply), 6 ft.	90A051230
Cable, RS-232, 9P, Male, Beetle POS, Straight, CAB-389, Power Off Terminal, 6.5 ft.	90A051710
Cable, RS-232, 6' (For Magellan)	90G001092
Cable, USB, IBM PowerPlus Mode, Straight CAB-413, 6 ft.	90A051903
Cable, USB, PowerPlus, Straight, 6', CAB-413E	90A052045
Cable, USB, Type A, Coiled, 9', CAB-424E	90A052043
Cable, USB, Type A, Enhanced, Coiled, Power Off Terminal, 5 Meters	90A052066
Cable, USB, Type A, Enhanced, Straight, Power Off Terminal, 2M (USB Certified)	90A052065
Cable, USB, Type A, Straight, 6', CAB-426E (USB Certified)	90A052044
Cable, Wand Emulation, 9P, Male, Coiled, CAB-348, 3.2 ft.	90A051210
Cable, Wand Emulation, 9P, Male, Straight, CAB-323, 6 ft.	90G001030
Cable, WYSE VDT 60/120/160/185/370, KBW, 4P, Telephone Connector, Straight, CAB-373, 6 ft.	90A051470
<b>ФУТЛЯР/КОБУРА</b>	
	Защитный футляр/Кобура на ремне, Gryphon PC-G040
<b>СТЕНДЫ</b>	
	Корзинный зажим (Для использования в медицине. Уже включен в состав крэдла.) CC-G040-HC
<b>ИСТОЧНИКИ ПИТАНИЯ/СИЛОВЫЕ КАБЕЛИ</b>	
Power Adapter, 12V DC, AC/DC Regulated, RoHS (For Use with 6003-XXXX Power Cords)	8-0935
Power Cord, 100V, Japan	6003-0927

Power Cord, 110V, US, Standard	6003-0941
Power Cord, 220V, Australia	6003-0925
Power Cord, 220V, Italy/Chile	6003-0924
Power Cord, 2-Pin, EU	90ACC1885
Power Cord, 2-Pin, UK	90ACC1887
Power Cord, 2-Pin, US	90ACC1886
Power Cord, AC, IEC/EU	6003-0940
Power Cord, IEC C13, Brazil (For use with 8-0935)	6003-0942
Power Supply, 12VDC, PG12-10P55 (For Use with 90ACCXXXX Power Cords Sold Separately)	90ACC1883
Power Supply, 12VDC, US, PG12-10P55-US (includes power cord 90ACC1886)	90ACC1920