






<b>Модели и комплекты Gryphon L GD4300</b>	
Gryphon L GD4310, Kit, IBM 46XX, Port 9, 12 ft. Coiled Cable, Black (Includes Scanner and Cable 90A052042)	GD4310-BKK40
Gryphon L GD4310, Kit, IBM USB, Powered 16 ft. Coiled Cable, Black (Includes Scanner and Cable 90A052055)	GD4310-BKK10
Gryphon L GD4310, Kit, RS-232 to Magellan Aux Port, 12 Ft. Coiled Cable, Black (Includes Scanner and Cable 90G001095)	GD4310-BKK20
Gryphon L GD4310, Laser Scanner, RS-232/IBM 46XX/USB Interface, Black	GD4310-BK
Gryphon L GD4310, Laser Scanner, RS-232/IBM 46xx/USB Interface, White	GD4310-WH
Gryphon L GD4330, Kit, USB, RS-232/USB/KBW/Wand Emulation Multi-Interface, Black (Includes Scanner and Cable 90A052044)	GD4330-BKK1
Gryphon L GD4330, Laser Scanner, RS-232/USB/KBW/Wand Emulation Multi-Interface, Black	GD4330-BK
Gryphon L GD4330, Laser Scanner, RS-232/USB/KBW/Wand Emulation Multi-Interface, White	GD4330-WH
<b>СОГЛАШЕНИЯ</b>	
Gryphon L GD4300 EofC 2 Days Comprehensive, 1 Year Renewal	W-GD43-R
Gryphon L GD4300 EofC 2 Days Comprehensive, 3 Years	W-GD43-3
Gryphon L GD4300 EofC 2 Days Comprehensive, 5 Years	W-GD43-5
Gryphon L GD4300 EofC 5 Days, 1 Year Renewal	E-GD43-R
Gryphon L GD4300 EofC 5 Days, 3 Years	E-GD43-3
Gryphon L GD4300 EofC 5 Days, 5 Years	E-GD43-5
Gryphon L GD4300 EofC Overnight Replacement Comprehensive, 1 Year Renewal	Q-GD43-R
Gryphon L GD4300 EofC Overnight Replacement Comprehensive, 3 Years	Q-GD43-3
Gryphon L GD4300 EofC Overnight Replacement Comprehensive, 5 Years	Q-GD43-5
MINIMUM REPAIR CHARGE,GD43XX	34811-80
WHOLE UNIT REPAIR,GRYPHON GD43XX	34811-81
<b>КАБЕЛИ</b>	
Cable, IBM 46xx, Port 5b, CAB-445 (Gryphon D412/432 Plus Only), 6.5 ft.	90A051977
Cable, IBM 46xx, Port 9B, CAB-446, 2 Meters	90A051978
Cable, IBM PS/2, KBW, Minidin Connector, Coiled, CAB-365, 6 ft.	90A051360
Cable, IBM PS/2, KBW, Minidin Connector, External Power Supply, Coiled, CAB-391, 11 ft.	90A051740
Cable, IBM VDT 31xx, 32xx, 37xx, Straight, 6.5 ft.	90G001040
Cable, KBW, 4P, Telephone Connector, DEC VDT VT200/220/240/300/320/340/420, CAB-375, 6 ft.	90A051490
Cable, RS-232, 25P, Female, Coiled, CAB-363 (Power available on pin 9 of the connector or through external power supply), 6 ft.	90A051340
Cable, RS-232, 25P, Female, Straight, CAB-328 (Power Supply available on pin 9 of the connector or with external power supply), 2 Meters	90G001080
Cable, RS-232, 25P, Male, Coiled, CAB-364 (Power Supply available on pin 9 of the connector or through external power supply), 6.5 ft.	90A051350
Cable, RS-232, 25P, Male, Straight, CAB-320 (Power available on pin 25 of the connector or through power supply), 6 ft.	90G001000
Cable, RS-232, 9P, Female, Coiled, CAB-362, External Power, 6 ft.	90A051330
Cable, RS-232, 9P, Female, Coiled, CAB-408 (Power available on pin 9 of the connector or through external power supply), 6 ft.	90A051891

Cable, RS-232, 9P, Female, Straight, CAB-327, Requires External Power, 6 ft.	90G000008
Cable, RS-232, 9P, Female, Straight, CAB-350 (Power Supply available on pin 9 of the connector or through external power supply), 6 ft.	90A051230
Cable, RS-232, 6' (For Magellan)	90G001092
Cable, USB, IBM PowerPlus Mode, Straight CAB-413, 6 ft.	90A051903
Cable, USB, PowerPlus, Straight, 6', CAB-413E	90A052045
Cable, USB, Type A, Coiled, 9', CAB-424E	90A052043
Cable, USB, Type A, Enhanced, Coiled, Power Off Terminal, 5 Meters	90A052066
Cable, USB, Type A, Enhanced, Straight, Power Off Terminal, 2M (USB Certified)	90A052065
Cable, USB, Type A, Straight, 6', CAB-426E (USB Certified)	90A052044
Cable, USB, Type A, Straight, CAB-426, 6 ft.	90A051945
Cable, Wand Emulation, 9P, Male, Coiled, CAB-348, 3.2 ft.	90A051210
<b>ФУТЛЯР/КОБУРА</b>	
	Защитный футляр/кобура для ремня, Gryphon PC-G040
<b>ДЕРЖАТЕЛИ/СТЕНДЫ</b>	
	Держатель настольный/настенный G040 черный HLD-G040-BK
	Держатель настольный/настенный G040 белый HLD-G040-WH
	Стенд базовый G040 темно-серый STD-G040-BK
	Стенд базовый G040 белый STD-G040-WH

**ИСТОЧНИК ПИТАНИЯ/СИЛОВЫЕ КАБЕЛИ**

Power Cord, 2-Pin, EU	90ACC1885
Power Cord, 2-Pin, UK	90ACC1887
Power Cord, 2-Pin, US	90ACC1886
Power Supply, 5VDC, PG5-05P55 (without power cord)	90ACC1882
Power Supply, 5VDC, US, PG5-05P55-US (includes power cord 90ACC1886)	90ACC1893