

Модели и комплекты PowerScan PD9500-DPM

| | |
|--|----------------|
| PowerScan D9530 Direct Part Marking | PD9530-DPM |
| СОГЛАШЕНИЯ | |
| PD95XXDPM EofC 2 Days Comprehensive, 1 Year Renewal | ZSC2PD95DPMR1 |
| PD95XXDPM EofC 2 Days Comprehensive, 3 Year | ZSC2PD95DPM31 |
| PD95XXDPM EofC 2 Days Comprehensive, 5 Year | ZSC2PD95DPM51 |
| PD95XXDPM EofC 5 Days, 1 Year Renewal | ZSN5PD95DPM5R1 |
| PD95XXDPM EofC 5 Days, 3 Year | ZSN5PD95DPM31 |
| PD95XXDPM EofC 5 Days, 5 Year | ZSN5PD95DPM51 |
| PD95XXDPM EofC Overnight Replacement Comprehensive, 1Year Renewal | ZSC1PD95DPMR1 |
| PD95XXDPM EofC Overnight Replacement Comprehensive, 3 Year | ZSC1PD95DPM31 |
| PD95XXDPM EofC Overnight Replacement Comprehensive, 5 Year | ZSC1PD95DPM51 |
| КАБЕЛИ | |
| Cable, IBM USB, 12 VDC, Powers USB, Coiled, 15 ft, CAB-486 | CAB-486 |
| Cable, KBW 3151, 347x, 378x, Coiled, CAB-485, 11 ft. | CAB-485 |
| Cable, KBW, PS/2, Coiled, CAB-437, 9 ft. | CAB-437 |
| Cable, KBW, PS/2, External Power, Coiled, CAB-443 | CAB-443 |
| Cable, KBW, PS/2, External Power, Straight, CAB-442 | CAB-442 |
| Cable, KBW, PS/2, Laptop, Coiled, 3.6 m, CAB-463 | CAB-463 |
| Cable, KBW, PS/2, PWR, Coiled 3.6 m, CAB-462 | CAB-462 |
| Cable, KBW, PS/2, Straight, CAB-436, 6 ft. | CAB-436 |
| Cable, RS-232 PWR, 25P, Female, Coiled, 3.6 m, CAB-474 | CAB-474 |
| Cable, RS-232 PWR, 25P, Female, Coiled, 7.6 m, CAB-477 | CAB-477 |
| Cable, RS-232 PWR, 9P, Female, Coiled, 3.6 m, CAB-459 | CAB-459 |
| Cable, RS-232 PWR, 9P, Female, Coiled, CAB-434, 8 ft. | CAB-434 |
| Cable, RS-232 PWR, 9P, Female, Straight, 3.2 m, CAB-501 | CAB-501 |
| Cable, RS-232 PWR, 9P, Female, Straight, CAB-433, 6 ft. | CAB-433 |
| Cable, RS-232, 25P, Female, Coiled, CAB-471, 10 ft. | CAB-471 |
| Cable, RS-232, 25P, Male, CBX800, External Power, Coil, 12 ft | CAB-509 |
| Cable, RS-232, 25P, Male, Coiled, CAB-472, 10 ft. | CAB-472 |
| Cable, RS-232, 9D, Female, POT, Coiled, 25 ft, 90A052014, CAB-479 | CAB-479 |
| Cable, RS-232, 9P, Female, Straight, CAB-448, 6 ft. | CAB-448 |
| Cable, RS-232, 9P, Male, Coiled, 3.6 m, CAB-456 | CAB-456 |
| Cable, RS-232, RJ10 Magellan Bi-Optic AUX Port, Coiled, 3.6 m, CAB-461, 12 ft. | CAB-461 |
| Cable, USB, Type A, Coiled, POT, CAB-524, 8 ft. | CAB-524 |
| Cable, USB, Type A, External Power, Coiled, CAB-441, 8 ft. | CAB-441 |
| Cable, USB, Type A, External Power, Straight, CAB-440, 8 ft. | CAB-440 |
| Cable, USB, Type A, Straight, 3.6 m, CAB-465 | CAB-465 |
| Cable, USB, Type A, Straight, CAB-438, 6.5 ft. | CAB-438 |

| КОРПУС/КОБУРА | | |
|---|---|-----------|
|  | Настольный/настенный держатель | HLD-P080 |
|  | Подогреваемый корпус, 24VDC (для моделей без дисплея) | 11-0139 |
|  | Подогреваемый корпус, 36VDC (для моделей без дисплея) | 11-0138 |
|  | Подогреваемый корпус, 48VDC (для моделей без дисплея) | 11-0140 |
|  | Универсальная кобура, HLS-8000 | HLS-P080 |
|  | Защитный кожух/Кобура для ремня, PC-8000 (для моделей с дисплеем) | PC-P080 |
| УСТАНОВОЧНЫЕ КОМПЛЕКТЫ/СТЕНДЫ | | |
|  | Индустриальный установочный комплект | 7-0404 |
| ИСТОЧНИКИ ПИТАНИЯ/СИЛОВЫЕ КАБЕЛИ | | |
| Adapter, Power Plug, Australia (Use with 4004-0849) | | 6003-0939 |
| Adapter, Power Plug, Euro (Use with 4004-0849) | | 6003-0937 |

| | |
|---|-----------|
| Adapter, Power Plug, UK (Use with 4004-0849) | 6003-0938 |
| Adapter, Power Plug, US/Japan (Use with 4004-0849) | 6003-0936 |
| Power Cord, 2-Pin, EU | 90ACC1885 |
| Power Cord, 2-Pin, UK | 90ACC1887 |
| Power Cord, 2-Pin, US | 90ACC1886 |
| Power Supply, 12VDC, PG12-10P55 (For Use with 90ACCXXX Power Cords Sold Separately) | 90ACC1883 |
| Power Supply, 12VDC, US, PG12-10P55-US (includes power cord 90ACC1886) | 90ACC1920 |
| Power Supply, 5VDC, ROHS (Power Adapter Sold Separately.) | 4004-0849 |