


Модели и аксессуары DH60

Модели		
	DH60, Handheld, 256 MB/512 MB, b/g/n, Imager, Numeric, CE6 Pro	941100003
	DH60, Handheld, 256 MB/512 MB, b/g/n, Laser, Numeric, CE6 Pro	941100005
	DH60, Handheld, 256 MB/512 MB, Batch, Imager, Numeric, CE6 Pro	941100006
	DH60, Handheld, 256 MB/512 MB, Batch, Laser, Numeric, CE6 Pro	941100004
СОГЛАШЕНИЯ EASEOFCARE		
	DH60 Ease of Care 2 Days, Renewal, Comprehensive	ZSC2DH60C1
	DH60 Ease of Care 5 Days, 5 Years, Comprehensive	ZSC5DH6051
	DH60 Ease of Care, 2 Days, 3 Years, Comprehensive	ZSC2DH6031
	DH60 Ease of Care, 5 Days, 3 Years	ZSN5DH6031
	DH60 Ease of Care, 5 Days, 5 Years	ZSN5DH6051
	DH60 Ease of Care, 5 Days, Renewal	ZSN5DH60C1
	DH60, Ease of Care 2 Days, 5 Years, Comprehensive	ZSC2DH6051
	DH60, Ease of Care 5 Days, 3 Years, Comprehensive	ZSC5DH6031
	DH60, Ease of Care 5 Days, Renewal, Comprehensive	ZSC5DH60C1
	INTERMEDIATE REPAIR CHARGE, DH60	ZR0DH60INT
	MINIMUM REPAIR CHARGE, DH60	ZR0DH60MIN
	WHOLE UNIT REPAIR, DH60	ZR0DH60MAX
Аксессуары		
ДОК-СТАНЦИИ		
	Док-станция на 4 слота для DH60 для заряда 4 устройств и 4 аккумуляторов. Требуется блок питания.	94ACC0088
	Зарядное устройство для блока питания Limited Power Supply (LPS) на 4 аккумулятора. Требуется блок питания 94ACC1385 и специальный силовой кабель для конкретной страны.	94A150070
	Многослотовая док-станция для блока питания Limited Power Supply (LPS), которая заряжает 4 устройства 4 аккумулятора. Требуется блок питания 94ACC1385 и специальный силовой кабель для конкретной страны.	94A150069

	<p>Док-станция для заряда одного аккумулятора и подключения по USB. Требуется блок питания 94ACC0139.</p>	<p>94ACC0086</p>
<p>АККУМУЛЯТОРЫ/ЗАРЯДНЫЕ УСТРОЙСТВА</p>		
	<p>Зарядное устройство для DH60 на 4 слота. Блок питания входит в комплект.</p>	<p>94ACC0089</p>
<p>IMAGE</p>  <p>NOT AVAILABLE</p>	<p>Стандартный аккумулятор для DH60, 2600 mAh at 3.7 Volts. Входит в базовый комплект.</p>	<p>94ACC0105</p>
<p>КАБЕЛИ</p>		
<p>Кабель для подключения к док-станции по RS232</p>		<p>94A051020</p>
<p>Кабель для подключения по Micro USB. Device works as client. 2m straight cable.</p>		<p>94A051968</p>
<p>КОБУРА/ДЕРЖАТЕЛЬ</p>		
	<p>Кобура для DH60</p>	<p>94ACC0092</p>
<p>РАЗНОЕ</p>		
	<p>Прикрепляемая ручка для DH60</p>	<p>94ACC0091</p>
<p>IMAGE</p>  <p>NOT AVAILABLE</p>	<p>DH60 HANDSTRAP 5 pack</p>	<p>94ACC0115</p>
	<p>DH60 LANYARD 5 pack</p>	<p>94ACC0116</p>

	DH60 STYLUS WITH TETHER 5 pack	94ACC0114
ИСТОЧНИКИ ПИТАНИЯ/СИЛОВЫЕ КАБЕЛИ		
Multi-slot dock and battery charger power supply, 12V at 10A		94ACC0090
NEMA-1-15 A to 13A PLUG ADAPTER (10 pcs)		94ACC0113
POWER LINE CORD, 3-PIN IEC C13, EU		95A051041
POWER LINE CORD, 3-PIN IEC C13, EU (5 PCS)		94ACC1150
POWER LINE CORD, 3-PIN IEC C13, UK		95ACC1213
POWER LINE CORD, 3-PIN IEC C13, USA		95ACC1113
Power Supply for DH60 direct or Single Dock. Included with base product		94ACC0139
Power supply for Multi Battery Charger, 4-Slot Dock. Power line cord has to be ordered separately.		94ACC1385
ПРОГРАММНОЕ ОБЕСПЕЧЕНИЕ		
Wavelink Avalanche 1 Mobile Device Mgt. Maintenance 310-MA-AVH1AD		ZSS5AVMD1
Wavelink Avalanche License, with 1st yr maintenance (for non-prelicensed devices) 310-LI-AVDLM-DA		94A101054
Wavelink Avalanche Remote Control Add-on Solution 310-LI-AVRC10		94A101075
Wavelink Avalanche Remote Control Add-on Solution Maintenance 310-MA-AVRC10		ZSS5AVRC1
Wavelink Avalanche Secure Plus Add-on Solution 310-LI-AVCE10		94A101083
Wavelink Avalanche Secure Plus Add-on Solution Maintenance 310-MA-AVCE10		ZSS5AVCE1
Wavelink TN Client for the Datalogic 4-in-1 Device Maintenance 120-MA-GENTN4		ZSS5TNC41
Wavelink TN Client for the Datalogic 4-in-1 Device, with 1st yr maintenance (for non-prelicensed devices) 120-LI-GENTN4		95A101129